Material Safety Data Sheet

PAGE NO 01 OF 05

Manufacturers/Distributors Name/Address	Emergency/Info Phone No.	TREM Card Ref. No.
ADINATH CHEMICALS	0091-79-6542528	ADI/TO/TERM-CARD-08
4, Sanskar Industrial Estate, Beside Kailash		
Estate Odhav, Ahmedabad, India – 382415		
Tel: +91-79-65422528, Fax: +91-79-22773764		

HAZARD RATING:

4-Extreme
3-High
2-Moderate
1-Slight
0-Insignificant

Health	1
Flammability	1
Reactivity	0
Special	

PRODUCT IDENTIFICATION:

Product or Trade Name	WOT	
Product Class		
Product Code No.	White Oil - Technical	
Chemical Name	Mixture of highly purified petroleum oils.	
FEMA No	CAS No. 8042-47-5	Formula: Mix. of Hydrocarbons

PHYSICAL DATA:

Odour, Appearance, Physical State	Almost colorless, white liquid.
Pour Point	-15°C.
Melting Point	NA
Specific Gravity / Density@29.5°C	0.820 - 0.840
Solubility in Water	Insoluble
Vapour Pressure	N.A.
Vapour Density	N.A.

PAGE 2

FIRE, EXPLOSION, REACTIVITY DATA:

Flash Point: ABOVE 180°C.	OSHA Classification: N.A.
Method Used: COC	
Extinguishing media:	DOT Hazard Classification: N.A.
Water / Fog CO ₂ Foam Dry Chem	
Unusual fire and explosive hazards:	None (Not Flammable), but will burn at high temperature.
Special firefighting procedures:	Ventilate contaminated area. Eliminate all sources of ignition or flammable that may come in contact with spilled material.
Hazardous combustible or Decomposition products:	Prolonged & repeated contact with the material produce skin irritation & no decomposition.
Stability	Stable at room temp.
Hazardous polymerization products	N.A.
Condition to avoid	Extreme heat / sunlight.
Materials to avoid	Open flames and ignition sources.

PROTECTION INFORMATION:

Respiratory:	Avoid inhalation of	Ventilation:	Normal ventilation.
	vapours, Mist of this		For use at high temp.
	product may cause		Local exhaust req.
	irritation to the mucous		
	membrane.		
Eyes:	May cause irritation on	Skin:	May cause mild irritation on
	contact. Immediately flush		contact. Wash
	with copious amt.		thoroughly with mild soap and
	of Water.		water.
Other protective device	protective devices & Procedures: Avoid generation of mist. Avoid inhalatio		on of mist. Avoid inhalation of
		vapours. Ventilate the area on spillage.	

PAGE 3

OCCUPATIONAL EXPOSURE LIMIT:

This material does not contain components which appear in 29CFR 1910.1000.			
The permissible limits are:			
TWA (PPM)	STEL (PPM)	CEILING (PPM)	
Has this product been listed as a carcinogen or potential carcinogen in the 'Annual Report Carcinogen'			
published by NTP, OSH or the international agency for research on Cancer?			
N.A.			

HEALTH HAZARD INFORMATION:

Routes of Entry:	Hand, Eyes, Oral & Inhalation.	
Prevent entering streams, sewers or drinking water supply.		
Symptoms of exposure:	Oral: Will cause nausea, vomiting & diarrhea but has a low order of toxicity.	
Medical conditions aggravated by exposure	Seek physician's advice.	

EMERGENCY AND FIRST AID PROCEDURES:

Inhalation exposure:	Remove to fresh air & provide oxygen, if breathing is difficult. Contact
	physician.
Skin contact:	Remove contaminated clothing. Flush skin with water. Wash skin
	thoroughly with mild soap & water. If irritation occurs, call a
	physician.
Swallowing or other:	Do not induce vomiting. In general no treatment is necessary
	unless large quantities are ingested. Get medical advice.

PAGE 4

SPILL, LEAK AND DISPOSAL PROCEDURE

Precautions if material is spilled or release:	Contain or dike spill material where possible.
	Absorb the remaining material with an inert
	absorbent & shovel into proper waste disposal
	container.
Waste disposal Method:	Dispose off at an appropriate waste disposal
	facility in accordance with current applicable
	laws and regulations.

HANDLING AND STORAGE PROCEDURES:

Protective measures during repair/	Wipe and clean contaminated equipment
Maintenance of contaminated equipment:	Or parts.
Hygienic practices for handling:	Do not get into eyes. Avoid skin contact &
	inhalation. Do not take internally.
Others:	Keep container sealed.

Ecological Information:

- No specific ecological data available.
- Water Hazard class (FRG): WGK 2 (self classification)

Transport Information:

- Technical name Mineral Oil
- US DOT STATUS: REGULATED BY THE US DEPARTMENT OF TRANSPORTATAION AS A NON HAZARDOUS MATERIAL.
- Proper Shipping Name: Not regulated
- Packing Group: Not Applicable
- Hazard Class: Not regulated UN/NA Number: Not Applicable
- MARPOL III status: Not a DOT Marine Pollutant

Fire Fighting Procedure:

- Suitable Extinguishing agents: Water, extinguishing powder, CO2, foam
- Exposure hazards: In case of fire the fumes may content lead oxides.

PAGE 5

Special protective equipment: Self-contained breathing apparatus.

Accidental Release Measures:

Personal Precautions: Prevent formation of dust.

Take care for proper ventilation and protective mask.

Environmental Precautions: Do not allow getting into soil, drains or water.

Cleanup procedure: Collect in suitable container.

Label with stickers.

Other Information: This safety data sheet shows our actual knowledge about our products. It is not a guarantee for certain properties.

DISCLAIMER:

Information contained in this material data sheet is believed to be reliable, but no representation, guarantee or warranties of any kind made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller to ensure that the information content in the material data sheet is relevant to the product manufactured / handled or sold by, as the case may be. ADINATH CHEMICALS makes no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.