# **Material Safety Data Sheet**

### PAGE NO 01 OF 05

Manufacturers/Distributors	Emergency/Info Phone No.	TREM Card Ref. No.	
Name/Address			
Adinath Chemicals	65422528	ADI /P. J. – BP/USP	
4, Sanskar Industrial Estate	30417528	(WHITE)/	
Beside Kailash Estate	22773764	TREMCARD-06	
Odhav, Ahmedabad, India			

## **Hazard Rating:**

4-Extreme	Health	1	_
3-High 2-Moderate	Flammability	1	
1-Slight	Reactivity	0	
0-Insignificant	Special		

#### **Product Identification:**

Product or Trade Name	White Petroleum Jelly		
Product Class	IP/ BP/ USP GRADE		
Product Code No.	PJ-W.		
Chemical Name	Mixture of Wax & purified oils.		
FEMA No	CAS No8063-27-02 Formula: Mix. of Hydrocarbons & wax		

## **Physical Data:**

Odour, Appearance, Physical State	Almost odorless, white / yellow & semi- solid mass.
Boiling Point	Above 200°C.
Melting Point	38 to 66 deg.C.
Specific Gravity / Density	0.80 - 0.90
Solubility in Water	Insoluble
Vapour Pressure	N.A.
Vapour Density	N.A.

## PAGE NO 02 OF 05

## **Fire, Explosion Reactivity Data:**

Flash Point: Above 200°C.	OSHA Classification: N.A.
Method Used: COC	
Extinguishing media:	DOT Hazard Classification: N.A.
Water / Fog CO <sub>2</sub> Foam Dry Chem	
Unusual fire and explosive hazards:	None (Not Flammable), but will burn at high
	temperature.
Special firefighting procedures:	Ventilate contaminated area. Eliminate
	all sources of ignition or flammable that may
	come in contact with spilled material.
Hazardous combustible or Decomposition products:	Prolonged & repeated contact with the material
	produce skin irritation & no decomposition.
Stability	Stable at room temp.
Hazardous polymerization products	N.A.
Condition to avoid	Extreme heat / sunlight.
Materials to avoid	Open flames and ignition sources.

## **Protection Information:**

Respiratory:	Avoid inhalation of vapours, Mist of this product may cause irritation to the mucous membrane.	Ventilation:	Normal ventilation. For use at high temp. Local exhaust req.
Eyes:	May cause irritation on contact.  Immediately flush with copious amt.  of Water.	Skin:	May cause mild irritation on contact. Wash thoroughly with mild soap and water.
Other protecti	ve devices & Procedures:	Avoid generation of mist. Avoid inhalation of vapours. Ventilate the area on spillage.	

#### **Occupational Exposure Limit:**

This material does not contain components which appear in 29CFR 1910.1000.

The permissible limits are:

TWA (PPM) STEL (PPM) CEILING (PPM)

Has this product been listed as a carcinogen or potential carcinogen in the 'Annual Report Carcinogen' published by NTP, OSH or the international agency for research on Cancer?

N.A.

#### **Health Hazard Information:**

Routes of Entry:	Hand, Eyes, Oral & Inhalation.	
Prevent entering streams, sewers or drinking water supply.		
Symptoms of exposure:	Oral: Will cause nausea, vomiting & diarrhea b	
	has a low order of toxicity.	
Medical conditions aggravated by exposure	Seek physician's advice.	

#### **Emergency and First Aid Procedures:**

Inhalation exposure:	Remove to fresh air & provide oxygen, if breathing is difficult. Contact physician.
Skin contact:	Remove contaminated clothing. Flush skin with water. Wash skin thoroughly with mild soap & water. If irritation occurs, call a physician.
Swallowing or other:	Do not induce vomiting. In general no treatment is necessary unless large quantities are ingested. Get medical advice.

### **Spill, Leak and Disposal Procedure:**

Precautions if material is spilled or release:	Contain or dike spill material where possible. Absorb the	
	remaining material with an inert absorbent & shovel into proper waste disposal container.	
Waste disposal Method:	Dispose off at an appropriate waste disposal facility in accordance with current applicable laws and regulations.	

## **Handling and Storage Procedures:**

Protective measures during repair/	Wipe and clean contaminated equipment	
maintenance of contaminated equipment:	or parts.	
Hygienic practices for handling:	Do not get into eyes. Avoid skin contact &	
	inhalation. Do not take internally.	
Others:	Keep container sealed.	

### **Ecological Information:**

- No specific ecological data available.
- Water Hazard class (FRG): WGK 2 (self classification)

#### **Transport Information:**

- Technical name SOFT PARAFFIN/ Vaseline
- US DOT STATUS: REGULATED BY THE US DEPARTMENT OF TRANSPORTATION AS A NON HAZARDOUS MATERIAL.
- Proper Shipping Name: Not regulated
- Packing Group: Not Applicable
- Hazard Class: Not regulated
- MARPOL III status: Not a DOT Marine Pollutant
- UN/NA Number: Not applicable

#### PAGE NO 05 OF 05

DR/RID	IMDG/IMCO	ICAO/IATA	UN-NO

#### **Fire Fighting Procedure:**

- Suitable Extinguishing agents: Water, extinguishing powder, CO2, foam
- Special protective equipment: Self-contained breathing apparatus.

#### **Accidental Release Measures:**

#### Personal Precautions:

- ✓ Prevent formation of dust.
- ✓ Take care for proper ventilation and protective mask.

#### • Environmental Precautions:

✓ Do not allow getting into soil, drains or water.

#### • Cleanup procedure:

- ✓ Collect in suitable container.
- ✓ Label with stickers.

#### Other Information:

This safety data sheet shows our actual knowledge about our products. It is not a guarantee for certain properties.

#### **Disclaimer:**

Information contained in this material data sheet is believed to be reliable, but no representation, guarantee or warranties of any kind made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer / seller to ensure that the information content in the material data sheet is relevant to the product manufactured / handled or sold by, as the case may be. ADINATH makes no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.